


DriscoPlex® 1900 Series (IPS) Perforated Patterns

Distributor / Branch _____
 Contact _____
 Phone / Fax _____

Date _____
 PO# _____
 Signature _____



Non Staggered

Staggered

Staggered Pattern

Ring 1 _____ Degree _____ Degree _____ Degree

Ring 2 _____ Degree _____ Degree _____ Degree

IPS Size and SDR Capabilities

Diameter	SDR Range
3" - 4"	SDR 7 - 17
6" - 8"	SDR 7 - 32.5
10"	SDR 9 - 32.5
12"	SDR 11 - 32.5

Please check the appropriate box for appropriate hole diameter and gap spacing

Hole Diameter		Hole Pattern	CONSISTENT GAP SPACING		
<input type="checkbox"/> A = 1/4"	<input type="checkbox"/> G = 1"	<input type="checkbox"/> A = 1 Hole	<input type="checkbox"/> 03 = 3"	<input type="checkbox"/> 09 = 9"	<input type="checkbox"/> 15 = 15"
<input type="checkbox"/> B = 3/8"	<input type="checkbox"/> H = 1-1/8"	<input type="checkbox"/> B = 2 Holes	<input type="checkbox"/> 04 = 4"	<input type="checkbox"/> 10 = 10"	<input type="checkbox"/> 16 = 16"
<input type="checkbox"/> C = 1/2"	<input type="checkbox"/> I = 1-1/4"	<input type="checkbox"/> C = 3 Holes	<input type="checkbox"/> 05 = 5"	<input type="checkbox"/> 11 = 11"	<input type="checkbox"/> 17 = 17"
<input type="checkbox"/> D = 5/8"		<input type="checkbox"/> D = 4 Holes	<input type="checkbox"/> 06 = 6"	<input type="checkbox"/> 12 = 12"	<input type="checkbox"/> 18 = 18"
<input type="checkbox"/> E = 3/4"			<input type="checkbox"/> 07 = 7"	<input type="checkbox"/> 13 = 13"	<input type="checkbox"/> Multiple Size Gaps
<input type="checkbox"/> F = 7/8"			<input type="checkbox"/> 08 = 8"	<input type="checkbox"/> 14 = 14"	

Joint Size: 40 ft 50 ft Pipe Sizes: _____ Pipe SDR: _____

NOTICE: This publication is intended for use as a guide to support the designer of piping systems. Performance Pipe makes no claim as to the suitability of the perforated design chosen for the particular application of usage. Performance Pipe has made every reasonable effort to ensure the accuracy of this publication, but it may not provide all necessary information, particularly with respect to special or unusual applications. This publication may be changed from time to time without notice. Contact Performance Pipe to determine if you have the most current edition.
 [April 2009]